

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue:15.04.2004Supersedes edition of07.01.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.:	114560
Product name:	COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant®
	Küvetten-Reagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company:	Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0
Emergency telephone No .:	+49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Sulfuric acid solution.

The percent content of the mercury compound mentioned below refers to the amount of the pure mercury therein.

Hazardous ingredients:

Name accordin CAS-No.	ng to EC Directives EC No.	: EC-Index-No.	Classification	Content:
Mercury(II) s	sulphate			
7783-35-9	231-992-5	080-002-00-6	T+; R26/27/28 R33 N; R50/53	≥ 0.5 - < 2 %
Sulphuric aci	d			
7664-93-9	231-639-5	016-020-00-8	C; R35	≥ 50 %
(Full text of I	R-Phrases in head	ing 16)		

3. Hazards identification

Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

According to EC Directive 91/155/EEC

Catalogue No.: 114560 Product name: COD Cell Test Method: photometric 4.0 - 40.0 mg/1 25 Tests Spectroquant® Küvetten-Reagenz

4. First aid measures

First-aid personnel: ensure self-protection!

After inhalation: fresh air. Call in physician. After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400. Immediately remove contaminated clothing. After eye contact: rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately call in ophtalmologist. After swallowing: make victim drink plenty of water (if necessary several litres), avoid vomiting (risk of perforation!). Immediately call in physician. Do not attempt to neutralize.

5. Fire-fighting measures

Suitable extinguishing media: In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Development of hazardous combustion gases or vapours possible in the event of fire. The following may develop in event of fire: sulfur oxides, mercury vapours.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:

Cool container with spray water from a save distance. Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures: Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures: Do not allow to enter sewerage system.

Procedures for cleaning / absorption: Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

Notes for safe handling: Work under hood . Do not inhale substance. Avoid generation of vapours/aerosols.

Storage:

Tightly closed in a well-ventilated place. Accesible only for authorised persons. Storage temperature: no restrictions.

The data apply to the entire pack.

According to EC Directive 91/155/EEC

 Catalogue No.:
 114560

 Product name:
 COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz

8. Exposure controls/personal protection

Specific control parameter BAT Germany (biol. tolerance value) Mercury, metallic and inorganic compounds Name Mercury Parametr 25 µg/l Values blood Test material test extraction, time а Parametr Mercury Values $100 \,\mu g/l$ Test material urine test extraction, time a **TRGS 900** Name Mercury (inorganic mercury compounds) 0.1 mg/m^3 inhalable fraction. The limit refers to the Value metal content as the analytical calculation basis. 4 exceeding factor: 4-fold in 15 minutes Peak limit Risk of skin absorption Skin resorption Name Sulfuric acid Kind of use others Value 0.1 mg/m^3 Inhalable fraction. The following regulation applies to the peak limit: short-term exposure duration: max. 15 minutes as mean value, frequency per shift: 4, time interval: min. 1 hour Peak limit 1 Concentration must not exceed limit concentration. Embryotoxic Y Substances with which no foetotoxic risk is to be expected when observing the maximum allowable concentration (MAC Germany) and the biological tolerance value at the workplace (BAT Germany).

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection:required when vapours/aerosols are generated.Eye protection:required

According to EC Directive 91/155/EEC

Catalogue No.:	114560
Product name:	COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz
	Ruvetten Reagenz

Hand protection:	In full contact: Glove material: Layer thickness: Breakthrough time:	
	of EC directive 89/686 example KCL 890 Vitoje (splash contact). This recommendation ap data sheet and supplied us. When dissolving in conditions deviating from	

Industrial hygiene:

Change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands and face after working with substance. Work under hood . Do not inhale substance. Under no circumstances eat or drink at workplace.

9. Physical and chemical properties

Form: Colour: Odour:	liquid yellowish odourless	
pH value	(20 °C)	< 1
Melting point		not available
Boiling point		not available
Ignition temperature		not available
Flash point		not available
Explosion limits	lower	not available
	upper	not available
Density	(20 °C)	~ 1.81 g/cm ³
Solubility in water	(20 °C)	soluble (caution ! development of heat)

According to EC Directive 91/155/EEC

Catalogue No.: 114560 Product name: COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

combustible substances, water, metals, metal alloys, alkali metals, alkali hydroxides, alkali oxides, alkaline earth compounds, alkalis, ammonia, nitrates, sodium carbonate, lithium silicide, halogen-halogen compounds, salts of oxyhalogenic acids, bromates, chromates/perchromates, perchlorates, perchloric acid, permanganates, permanganic acid, organic nitro compounds, nonmetals, nonmetallic oxides, picrates, hydrogen peroxide, nitramide, mercury nitride, ammonium iron(III) sulfate dodecahydrate.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

hygroscopic; has a corrosive effect; incompatible with metals, animal/vegetable tissues.

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Applicable to the main component: After inhalation of aerosols:damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Applicable to partial component(s): Danger of skin absorption.

Systemic effects:

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, visiion, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

Other notes: Danger of cumulative effects.

Further data

Further hazardous properties cannot be excluded. This substance should be handled with particular care.

According to EC Directive 91/155/EEC

 Catalogue No.:
 114560

 Product name:
 COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Biological effects:

Harmfull effect on aquatic organisms. May cause long-term adverse effects in the aquatic environment. Harmful effect due to pH shift. Caustic even in diluted form. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Does not cause biological oxygen deficit.

Further ecologic data:

Applicable to partial component(s):

The following applies to sulfuric acid: biological effects: harmfull effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC_{50} : 29 mg/l/24 h (calculated on the pure substance). The following applies to the water-soluble matter contained in inorganic Hg compounds in general (tested with mercury(II) chloride): Leuciscus idus LC_{50} : 0.5 mg/l (48h), Daphnia magna EC_{50} : 0.005-3,6 mg/l (48h), Chlorella pyrenoidosa EC_{50} : 0.3 mg/l (5h), Pseudomonas fluorescens IC_{50} : 0.005 mg/l. The toxicity of mercury(II) ions for water organisms depends on the water hardness [source: IPCS].

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code UN 3316 CHEMICAL KIT, 9, II Ems F-A S-P

Air CAO, PAX CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK !

According to EC Directive 91/155/EEC

 Catalogue No.:
 114560

 Product name:
 COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz

15. Regulatory information

Labelling according to EC Directives			
Symbol:	Т	Toxic	
R-phrases:	23/24/25-33-35-52/5	³ Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
S-phrases:	26-36/37/39-45	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).	
contains:	Mercury(II) sulphate Sulphuric acid		
German regulations			
Water pollution class	2 (polluting substance) VwVwS Anh. 4		
Storage class VCI	6.1 B		
Data sheet of the Chemical Professional Association	M004 Irritant substances/corrosive substances		
	M024 Mercury and	d its compounds	
	M051 Dangerous	chemical substances	
Local regulations on chemical accidents:	2		

The employment restrictions for young workers in accordance with section 22 of the Youth Employment Protection Law (JArbSchG) are to be observed.

The employment restrictions for expectant and nursing mothers in accordance with sections 4 and 5 of the Maternity Protection Guideline (MuSchRiV) are to be observed.

16. Other information

Text of any R phrases referred to under heading 2:

26/27/28	Very toxic by inhalation, in contact with skin and if swallowed.
33	Danger of cumulative effects.
35	Causes severe burns.
50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

According to EC Directive 91/155/EEC

Catalogue No.: 114560 Product name: COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Küvetten-Reagenz

Reduced labelling on the container due to small quantity.

Reason for alteration

Chapter 8: personal protective equipment. Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue:15.04.2004Supersedes edition of07.01.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.:	114560
Product name:	COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant®
	Blindwert-Simulationsreagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company:	Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0
Emergency telephone No.:	+49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Aqueous solution of inorganic compounds.

3. Hazards identification

No hazardous product as specified in Directive 67/548/EEC.

4. First aid measures

After inhalation: fresh air. After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water with the eyelid held wide open. After swallowing: make victim drink plenty of water. Consult doctor if feeling unwell.

5. Fire-fighting measures

Suitable extinguishing media: In adaption to materials stored in the immediate neighbourhood.

Special risks: Non-combustible.

Other information: Prevent fire-fighting water from entering surface water or groundwater.

According to EC Directive 91/155/EEC

Catalogue No.:	114560	
Product name:	COD Cell Test Method: photometric 4.0 - 40.0 mg/l	25 Tests Spectroquant®
	Blindwert-Simulationsreagenz	

6. Accidental release measures

Person-related precautionary measures: Do not inhale vapours/aerosols.

Environmental-protection measures: Do not allow to enter sewerage system.

Procedures for cleaning / absorption: Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed in a well-ventilated place. Accesible only for authorised persons. Storage temperature: no restrictions.

The data apply to the entire pack.

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection:	required when vapours/aerosols are generated.	
Eye protection:	required	
Hand protection:	In full contact: Glove material: Layer thickness: Breakthrough time:	nitrile rubber 0.11 mm > 480 Min.
	In splash contact: Glove material: Layer thickness: Breakthrough time:	nitrile rubber 0.11 mm > 480 Min.
	The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 740 Dermatril® (full contact), 740 Dermatril® (splash contact). This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).	
Industrial hygiene: Change contaminated clothing	g. Wash hands after working v	with substance.

According to EC Directive 91/155/EEC

Catalogue No.:	114560	
Product name:	COD Cell Test Method: photometric 4.0 - 40.0 mg/l	25 Tests Spectroquant®
	Blindwert-Simulationsreagenz	

9. Physical and chemical properties

Form: Colour: Odour:		liquid yellow odourless	
pH value		(20 °C)	~ 5
Melting point			not available
Boiling point			not available
Ignition temperature			not available
Flash point			not available
Explosion limits	lower		not available
	upper		not available
Density		(20 °C)	~ 1.00 g/cm ³
Solubility in water		(20 °C)	soluble

10. Stability and reactivity

Conditions to be avoided Strong heating. Substances to be avoided The generally known reaction partners of water. Hazardous decomposition products no information available

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

The literature and our own experience have not revealed any hazardous properties. No toxic effects are to be expected when the product is handled appropriately.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

No ecological problems are to be expected when the product is handled and used with due care and attention.

According to EC Directive 91/155/EEC

 Catalogue No.:
 114560

 Product name:
 COD Cell Test Method: photometric 4.0 - 40.0 mg/l 25 Tests Spectroquant® Blindwert-Simulationsreagenz

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code UN 3316 CHEMICAL KIT, 9, II Ems F-A S-P

Air CAO, PAX CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK !

15. Regulatory information

Labelling according to EC Directives						
Symbol:						
R-phrases:						
S-phrases:						
German regulations						
Water pollution class	1 ((slightly polluting substance)	VwVwS Anh. 4			
Storage class VCI	10-13					

16. Other information

Reason for alteration

Chapter 8: personal protective equipment. Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

According to EC Directive 91/155/EEC

Catalogue No.:114560Product name:COD Cell Test Method: photometric 4.0 - 40.0 mg/l25 Tests Spectroquant®
Blindwert-Simulationsreagenz

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.