

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 01.07.2004 Supersedes edition of 23.09.2003

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests

 $Spectroquant \\ \\ \mathbb{R}$

Küvetten-Reagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

The percent content of the mercury compound mentioned below refers to the amount of the pure mercury therein.

Hazardous ingredients:

Name according to EC Directives:

CAS-No. EC No. EC-Index-No. Classification Content:

Mercury(II) sulphate

7783-35-9 231-992-5 080-002-00-6 T+; R26/27/28 $\geq 0.5 - < 2\%$

R33

N; R50/53

Sulphuric acid

7664-93-9 231-639-5 016-020-00-8 C; R35 \geq 50 %

(Full text of R-Phrases in heading 16)

3. Hazards identification

Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

4. First aid measures

First-aid personnel: ensure self-protection!

After inhalation: fresh air.

If breathing stops: immediately apply mechanical ventilation, if necessary oxygen mask.

Immediately call in physician.

After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400. Immediately remove contaminated clothing. Immediately call in physician.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Immediately call

in ophtalmologist.

After swallowing: make victim drink plenty of water, avoid vomiting (risk of perforation!).

Immediately call in physician. Do not attempt to neutralize.

Fire-fighting measures 5.

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours. The following may develop in event of fire: sulfur oxides, mercury vapours.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:

Cool container with spray water from a save distance.

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed

Environmental-protection measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No.

101595). Forward for disposal. Clean up affected area.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

7. Handling and storage

Handling:

Notes for safe handling:

Work under hood. Do not inhale substance. Avoid generation of vapours/aerosols.

Storage:

Tightly closed in a well-ventilated place. Accesible only for authorised persons. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Specific control parameter

BAT Germany (biol. tolerance value)

Name Mercury, metallic and inorganic compounds

 $\begin{array}{lll} \text{Parametr} & \text{Mercury} \\ \text{Values} & 25 \ \mu\text{g/l} \\ \text{Test material} & \text{blood} \\ \text{test extraction, time} & \text{a} \end{array}$

 $\begin{array}{lll} Parametr & Mercury \\ Values & 100 \ \mu g/l \\ Test \ material & urine \\ test \ extraction, \ time & a \end{array}$

TRGS 900

Name Mercury (inorganic mercury compounds)

Value 0.1 mg/m³ inhalable fraction. The limit refers to the

metal content as the analytical calculation

basis.

Peak limit 4 exceeding factor: 4-fold in 15 minutes

Skin resorption Risk of skin absorption

Name Sulfuric acid
Kind of use others
Value 0.1 mg/m³

0.1 mg/m³ Inhalable fraction. The following regulation

applies to the peak limit: short-term exposure duration: max. 15 minutes as mean value, frequency per shift: 4, time interval: min. 1

hour

Peak limit 1 Concentration must not exceed limit concentration.

Embryotoxic Y Substances with which no foetotoxic risk is to be expected

when observing the maximum allowable concentration (MAC Germany) and the biological tolerance value at the workplace

(BAT Germany).

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

> Glove material: viton 0.70 mm Layer thickness: Breakthrough time: > 480 Min.

In splash contact:

Glove material: viton 0.70 mm Layer thickness: Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 890 Vitoject® (full contact), 890 Vitoject® (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Industrial hygiene:

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance. Under no circumstances eat or drink at workplace. Work under hood. Do not inhale substance.

9. Physical and chemical properties

Form: liquid Colour: colourless

Odour:

pH value strongly acid Melting point not available Boiling point not available Ignition temperature not available Flash point not available **Explosion limits** not available lower upper not available

Density g/cm³ (20 °C) 1.8

Solubility in Water not available

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

hygroscopic; has a corrosive effect;

incompatible with metals, animal/vegetable tissues.

Hydrogen may form upon contact with metals (danger of explosion!).

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Properties to be expected on the basis of the main component of the preparation:

After inhalation of aerosols:damage to the affected mucous membranes.

After skin contact: severe burns with formation of scabs.

After eye contact: burns, corneal lesions.

After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea.

After a latency period of several weeks possibly pyloric stenosis.

Applicable to partial component(s):

Danger of skin absorption.

Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms: acute: contact with eye causes severe lesions. Swallowing and inhalation of dusts damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhoea, intestinal burns, glottal oedema, aspiration pneumonia); drop in blood pressure, cardiac dysrhythmia, circulatory collapse, and renal failure; chronic: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, visiion, hearing, and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia).

Other notes:

Danger of cumulative effects.

Further data

Further hazardous properties cannot be excluded.

This substance should be handled with particular care.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Biological effects:

Harmfull effect on aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmfull effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/1/24 h (calculated on the pure substance).

The following applies to the water-soluble matter contained in inorganic Hg compounds in general (tested with mercury(II) chloride): Leuciscus idus LC_{50} : 0.5 mg/l (48h), Daphnia magna EC_{50} : 0.005-3,6 mg/l (48h), Chlorella pyrenoidosa EC_{50} : 0.3 mg/l (5h), Pseudomonas fluorescens IC_{50} : 0.005 mg/l. The toxicity of mercury(II) ions for water organisms depends on the water hardness [source: IPCS].

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

15. Regulatory information

Labelling according to EC Directives

Symbol: Toxic

R-phrases: 23/24/25-33-35-52/53 Toxic by inhalation, in contact with skin and if

swallowed. Danger of cumulative effects. Causes severe burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S-phrases: 26-36/37/39-45 In case of contact with eyes, rinse immediately

with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

contains: Mercury(II) sulphate

Sulphuric acid

German regulations

Water pollution class 2 (polluting substance) VwVwS Anh. 4

Storage class VCI 6.1 B

Data sheet of the Chemical Professional Association

M004 Irritant substances/corrosive substances

M024 Mercury and its compounds M051 Dangerous chemical substances

Local regulations on chemical

accidents:

The employment restrictions for young workers in accordance with section 22 of the Youth Employment Protection Law (JArbSchG) are to be observed.

The employment restrictions for expectant and nursing mothers in accordance with sections 4 and 5 of the Maternity Protection Guideline (MuSchRiV) are to be observed.

16. Other information

Text of any R phrases referred to under heading 2:

26/27/28

33 Danger of cumulative effects.

35 Causes severe burns.

50/53

Reduced labelling on the container due to small quantity.

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Küvetten-Reagenz

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 01.07.2004 Supersedes edition of 23.09.2003

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests

Spectroquant®

Blindwert-Simulationsreagenz

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Aqueous solution.

Hazardous ingredients:

Name according to EC Directives:

CAS-No. EC No. EC-Index-No. Classification Content:

Sulphuric acid

7664-93-9 231-639-5 016-020-00-8 C; R35 $\geq 5 - < 10 \%$

(Full text of R-Phrases in heading 16)

3. Hazards identification

Irritating to eyes and skin.

4. First aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. Call in physician.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Call in

ophtalmologist.

After swallowing: immediately make victim drink plenty of water. Call in physician.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Blindwert-Simulationsreagenz

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours.

The following may develop in event of fire: sulfur oxides.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed in a well-ventilated place. Accesible only for authorised persons. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Specific control parameter

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Blindwert-Simulationsreagenz

TRGS 900

Name Sulfuric acid Kind of use others Value 0.1 mg/m³

Inhalable fraction. The following regulation applies to the peak limit: short-term exposure duration: max. 15 minutes as mean value,

frequency per shift: 4, time interval: min. 1

hour

Peak limit 1 Concentration must not exceed limit concentration.

Embryotoxic Y Substances with which no foetotoxic risk is to be expected

when observing the maximum allowable concentration (MAC Germany) and the biological tolerance value at the workplace

(BAT Germany).

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: natural latex
Layer thickness: 0.6 mm
Breakthrough time: > 480 Min.

In splash contact:

Glove material: natural latex
Layer thickness: 0.6 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 706 Lapren® (full contact), 706 Lapren® (splash contact). This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Industrial hygiene:

Change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands after working with substance.

9. Physical and chemical properties

Form: liquid
Colour: yellowish
Odour: odourless

pH value (20 °C) <1

Melting pointnot availableBoiling pointnot availableIgnition temperaturenot available

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Blindwert-Simulationsreagenz

Flash point not available
Explosion limits lower not available
upper not available

 $(20 \,^{\circ}\text{C})$ $\sim 1.06 \,\text{g/cm}^3$

Solubility in

Density

water (20 °C) soluble

10. Stability and reactivity

Conditions to be avoided

Strong heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

has a corrosive effect;

incompatible with metals, animal/vegetable tissues.

Hydrogen may form upon contact with metals (danger of explosion!).

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Property that must be anticipated on the basis from the toxicological main component of the preparation:

After inhalation of vapours: irritative symptoms in the respiratory tract.

After skin contact: severe irritations.

After eye contact: corneal destruction.

After swallowing: damage of the oral, oesophageal, and gastric mucous membranes. Perforation of the oesophagus frequently occurs. Circulatory collapse may occur after 1-2 hours.

Further data

Further hazardous properties cannot be excluded.

The product should be handled with the care usual when dealing with chemicals.

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Blindwert-Simulationsreagenz

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmfull effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/l/24 h (calculated on the pure substance).

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: Xi Irritant

R-phrases: --S-phrases: ---

According to EC Directive 91/155/EEC

Catalogue No.: 114895

Product name: COD Cell Test Method: photometric 15 - 300 mg/l 25 Tests Spectroquant®

Blindwert-Simulationsreagenz

German regulations

Water pollution class 1 (slightly polluting substance) VwVwS Anh. 4

Storage class VCI 10-13

Data sheet of the Chemical

Professional Association

M004 Irritant substances/corrosive substances

M051 Dangerous chemical substances

The employment restrictions for young workers in accordance with section 22 of the Youth Employment Protection Law (JArbSchG) are to be observed.

16. Other information

Text of any R phrases referred to under heading 2:

35 Causes severe burns.

Reduced labelling on the container due to small quantity.

Reason for alteration

Chapter 2: change in composition data. Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.