

Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 27.04.2004 Supersedes edition of 10.02.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l

NO₃-N 25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

NO₃-1K

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Mixture of inorganic and organic compounds.

Hazardous ingredients:

Name according to EC Directives:

CAS-No. EC No. EC-Index-No. Classification Content:

Resorcinol

108-46-3 203-585-2 604-010-00-1 Xn; R22 $\geq 1 - < 10 \%$

Xi; R36/38 N; R50

(Full text of R-Phrases in heading 16)

3. Hazards identification

No hazardous product as specified in Directive 67/548/EEC.

4. First aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water with the eyelid held wide open.

After swallowing: immediately make victim drink plenty of water. Consult doctor in the event of any

complaints.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

NO₃-1K

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus.

Other information:

Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:

Avoid generation of dusts; do not inhale dusts.

Environmental-protection measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up dry. Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Specific control parameter

TRGS 900

Name 1,3-Dihydroxybenzene

Value 10 ml/m^3

 45 mg/m^3

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when dusts are generated.

Eye protection: required

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

NO₃-1K

Hand protection: In full contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

In splash contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 740 Dermatril® (full contact), 740 Dermatril® (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Industrial hygiene:

Change contaminated clothing. Wash hands after working with substance.

9. Physical and chemical properties

Form: solid
Colour: white
Odour: odourless

pH value not available Melting point not available Boiling point not available Ignition temperature not available Flash point not available **Explosion limits** lower not available upper not available Density not available

1100 1 / 3

Bulk density $\sim 1100 \text{ kg/m}^3$

Solubility in

water (20 °C) soluble

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

NO₃-1K

10. Stability and reactivity

Conditions to be avoided

not known to date

Substances to be avoided

not known to date

Hazardous decomposition products

not known to date

Further information

none

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Systemic effects are relatively improbable.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

NO₃-1K

14. Transport information

Road & Rail ADR, RID

UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: ---R-phrases: ---S-phrases: ----

German regulations

Water pollution class 2 (polluting substance) VwVwS Anh. 4

Storage class VCI 10-13

16. Other information

Text of any R phrases referred to under heading 2:

Harmful if swallowed.
36/38 Irritating to eyes and skin.
Very toxic to aquatic organisms.

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 27.04.2004 Supersedes edition of 10.02.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l

NO₃-N 25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Mixture of acids.

 ${\it Haz ardous\ ingredients:}$

Name according to EC Directives:

CAS-No. EC No. EC-Index-No. Classification Content:

Sulphuric acid

7664-93-9 231-639-5 016-020-00-8 C; R35 ≥ 50 %

Phosphoric acid

7664-38-2 231-633-2 015-011-00-6 C; R34 $\geq 5 - < 10 \%$

(Full text of R-Phrases in heading 16)

3. Hazards identification

Causes severe burns.

4. First aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Dab with polyethylene glycol 400. Immediately remove contaminated clothing.

After eye contact: rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Immediately call in ophtalmologist.

After swallowing: make victim drink plenty of water (if necessary several litres), avoid vomiting (risk of perforation!). Immediately call in physician. Do not attempt to neutralize.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible. Ambient fire may liberate hazardous vapours.

The following may develop in event of fire: sulfur oxides, phosphorus oxides.

Special protective equipment for fire fighting:

Do not stay in dangerous zone without self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Other information:

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols. Avoid substance contact. Ensure supply of fresh air in enclosed rooms.

Environmental-protection measures:

Do not allow to enter sewerage system.

Procedures for cleaning / absorption:

Take up with liquid-absorbent and neutralizing material (e.g. Chemizorb® H⁺, Art. No. 101595). Forward for disposal. Clean up affected area.

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed. At $+15^{\circ}$ C to $+25^{\circ}$ C.

Requirements for storage rooms and containers:

No metal containers.

The data apply to the entire pack.

8. Exposure controls/personal protection

Specific control parameter

EC

Name ortho-Phosphoric acid

Value 1 mg/m³

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

TRGS 900

Name ortho-Phosphoric acid

Value 1 mg/m³

Peak limit 2 exceeding factor: 2-fold in 15 minutes

Name Sulfuric acid
Kind of use others
Value 0.1 mg/m³

0.1 mg/m³ Inhalable fraction. The following regulation

applies to the peak limit: short-term exposure duration: max. 15 minutes as mean value, frequency per shift: 4, time interval: min. 1

hour

Peak limit 1 Concentration must not exceed limit concentration.

Embryotoxic Y Substances with which no foetotoxic risk is to be expected

when observing the maximum allowable concentration (MAC Germany) and the biological tolerance value at the workplace

(BAT Germany).

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: viton

Layer thickness: 0.70 mm

Breakthrough time: > 480 Min.

In splash contact:

Glove material: butyl rubber
Layer thickness: 0.7 mm
Breakthrough time: > 120 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 890 Vitoject® (full contact), 898 Butoject® (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Other protective equipment:

Acid-resistant protective clothing.

Industrial hygiene:

Change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands and face after working with substance.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₂-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

9. Physical and chemical properties

Form: liquid
Colour: colourless
Odour: odourless

pH value (20 °C) <1

Melting point not available
Boiling point not available
Ignition temperature not available
Flash point not available
Explosion limits lower not available
upper not available

Density $(20 \,^{\circ}\text{C})$ 1.843 g/cm³

Solubility in

water (20 °C) soluble

10. Stability and reactivity

Conditions to be avoided

Heating.

Substances to be avoided

water, alkali metals, alkali compounds, ammonia, alkaline earth metals, alkalis, acids, alkaline earth compounds, metals, metal alloys, phosphorus oxides, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvents, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide.

Hazardous decomposition products

in the event of fire: See chapter 5.

Further information

hygroscopic; has a corrosive effect;

incompatible with: metals (generation of hydrogen), animal/vegetable tissues.

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

Further toxicological information

Property that must be anticipated on the basis from the components of the preparation:

After inhalation of aerosols:damage to the affected mucous membranes.

After skin contact: severe burns with formation of scabs.

After eye contact: burns, corneal lesions.

After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea.

After a latency period of several weeks possibly pyloric stenosis.

Further data

Further hazardous properties cannot be excluded.

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following statements refer to individual components of the preparation:

The following applies to sulfuric acid: biological effects: harmfull effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants

Daphnia toxicity: Daphnia magna EC₅₀: 29 mg/l/24 h (calculated on the pure substance).

Depending on the concentration, phosphorus compounds may contribute to the eutrophication of water supplies.

Do not allow to enter waters, waste water, or soil!

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

14. Transport information

Road & Rail ADR, RID

UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: C Corrosive

R-phrases: 35 Causes severe burns.

S-phrases: 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear

with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

contains: Sulphuric acid

Phosphoric acid

German regulations

Water pollution class 1 (slightly polluting substance) VwVwS Anh. 4

Storage class VCI 8 B

Data sheet of the Chemical Professional Association

M004 Irritant substances/corrosive substances

M051 Dangerous chemical substances

M053 General industrial safety measures for dangerous substances.

The employment restrictions for young workers in accordance with section 22 of the Youth Employment Protection Law (JArbSchG) are to be observed.

16. Other information

Text of any R phrases referred to under heading 2:

34 Causes burns.

35 Causes severe burns.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Reaktionsküvette

Reduced labelling on the container due to small quantity.

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.



Safety Data Sheet

According to EC Directive 91/155/EEC

Date of issue: 27.04.2004 Supersedes edition of 10.02.2000

1. Identification of the substance/preparation and of the company/undertaking

Identification of the product

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l

NO₃-N 25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Blindwertküvette

Use of the substance/preparation

Reagent for analysis

Company/undertaking identification

Company: Merck KGaA * 64271 Darmstadt * Germany * Tel: +49 (0)6151/72-0

Emergency telephone No.: +49 (0)6151/72112 * Fax: +49 (0)6151/72-7780

2. Composition/information on ingredients

Aqueous dye solution.

3. Hazards identification

No hazardous product as specified in Directive 67/548/EEC.

4. First aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing. After eye contact: rinse out with plenty of water with the eyelid held wide open. After swallowing: make victim drink plenty of water. Consult doctor if feeling unwell.

5. Fire-fighting measures

Suitable extinguishing media:

In adaption to materials stored in the immediate neighbourhood.

Special risks:

Non-combustible.

6. Accidental release measures

Person-related precautionary measures:

Do not inhale vapours/aerosols.

Procedures for cleaning / absorption:

Take up with liquid-absorbent material (e.g. Chemizorb®). Forward for disposal. Clean up affected area.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Blindwertküvette

7. Handling and storage

Handling:

No further requirements.

Storage:

Tightly closed. At $+15^{\circ}$ C to $+25^{\circ}$ C.

The data apply to the entire pack.

8. Exposure controls/personal protection

Personal protective equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of the protective clothing to chemicals should be ascertained with the respective supplier.

Respiratory protection: required when vapours/aerosols are generated.

Eye protection: required

Hand protection: In full contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

In splash contact:

Glove material: nitrile rubber
Layer thickness: 0.11 mm
Breakthrough time: > 480 Min.

The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374, for example KCL 740 Dermatril® (full contact), 740 Dermatril® (splash contact).

This recommendation applies only to the product stated in the safety data sheet and supplied by us as well as to the purpose specified by us. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Industrial hygiene:

Change contaminated clothing. Wash hands after working with substance.

9. Physical and chemical properties

Form: liquid
Colour: red
Odour: odourless

pH value $(20 \,^{\circ}\text{C})$ ~ 6

Melting point not available

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Blindwertküvette

Boiling point 100 °C
Ignition temperature not available
Flash point not available
Explosion limits lower not available
upper not available

Density (20 °C) ~ 1.00 g/cm³ Solubility in Water not available

10. Stability and reactivity

Conditions to be avoided

no information available

Substances to be avoided

The generally known reaction partners of water.

Hazardous decomposition products

no information available

11. Toxicological information

Acute toxicity

Quantitative data on the toxicity of this product are not available.

Further toxicological information

Due to the low concentration of the components contained in this product, risks are relatively improbable.

Our own experience has provided no indication of any hazardous potential.

Further data

The product should be handled with the care usual when dealing with chemicals.

12. Ecological information

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

No ecological problems are to be expected when the product is handled and used with due care and attention.

13. Disposal considerations

Product:

Chemicals must be disposed of in compliance with the respective national regulations. Under www.retrologistik.de you will find country- and substance-specific information as well as contact partners.

According to EC Directive 91/155/EEC

Catalogue No.: 114556

Product name: Nitrate Cell Test in seawater Method: photometric 0.10 - 3.00 mg/l NO₃-N

25 Tests

0.4 - 13.3 mg/l NO₃ Spectroquant®

Blindwertküvette

Packaging:

Merck product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system. Under www.retrologistik.de you will find special information on the respective national conditions as well as contact partners.

14. Transport information

Road & Rail ADR, RID UN 3316 CHEMIE-TESTSATZ, 9, II

Inland waterway ADN, ADNR not tested

Sea IMDG-Code

UN 3316 CHEMICAL KIT, 9, II

Ems F-A S-P

Air CAO, PAX

CHEMICAL KIT, 9, UN 3316, II

The transport regulations are cited according to international regulations and in the form applicable in Germany . Possible national deviations in other countries are not considered. THESE TRANSPORT DATA APPLY TO THE ENTIRE PACK!

15. Regulatory information

Labelling according to EC Directives

Symbol: --R-phrases: --S-phrases: ---

German regulations

Water pollution class nwg (nonpolluting substance) VwVwS Anh. 4

Storage class VCI 10-13

16. Other information

Reason for alteration

Chapter 14: transport information.

General update.

Contact for information:

HSSE-C/CI * Tel: +49 (0)6151/722775 * Fax: +49 (0)6151/726433 * e-mail:prodsafe@merck.de

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.